



WE MAKE THINGS STICK

Comprehensive Adhesive Tape Solutions Automotive Industry

- AUTOMOTIVE • CONSTRUCTION • HVAC • LABEL • PACKAGING • HARDWARE • SIGNAGE
- ELECTRICAL • SEALING • WHITE GOODS • WIRE-HARNESS • SURFACE PROTECTION



ECO-FRIENDLY
OPTIONS

LARGEST
RANGE



VALUE
DRIVEN

COMPLETE
TAPE SOLUTION

BULK AND
BESPOKE

OUR BRANDS



THB Excellence Range for OEM & High-End Application

TH3TM ACRYLIC FOAM TAPE

Excellence Range (High Performance Tape) Advanced Double-Coated Acrylic Foam Tape

THB Acrylic Foam Tape (Excellence Range) is a high-performance, automotive-grade pressure-sensitive double-coated acrylic foam tape, specially engineered to meet the demanding requirements of OEM and Tier-1 automotive and industrial applications.

- OEM-approved Automotive Acrylic Foam Technology
- Strong adhesion on advanced paint systems
- Dual adhesive system for reliable, long-lasting bonds
- Clean black bond-line for premium vehicle aesthetics
- Performs in extreme temperatures & impact conditions
- Thickness Range: 0.25 mm | 0.4 mm | 0.5 mm | 0.64 mm | 0.8 mm | 1.0 mm | 1.1 mm | 1.2 mm | 1.5 mm | 2 mm
- Color: Black & Grey
- Application: Body Mouldings | Claddings | Mirrors | Spoilers | Fascia | Pillars | Wheel Arches



PMX[®] 100 – WHEEL BALANCING TAPE



- Double-sided tape designed for bonding and balancing applications
- Total thickness: 100 ±5 Micron
- Clear tape for neat & invisible application
- Strong adhesion to steel & metal surfaces
- Solvent-based adhesive for reliable and durable bonding
- Easy to apply with uniform pressure for secure fixing
- Suitable for wheel balancing, protective face shield assembly, and general bonding
- Provides consistent and stable performance in industrial applications
- Designed for rough use and high-temperature resistance.

PMX[®] 50 – HIGH STRENGTH HOOK TAPE



- High-strength hook tape made with IXPE foam backing
- Coated on both sides with solvent rubber adhesive
- Provides strong initial tack & high peel strength
- Excellent holding power for secure long-term bonding
- Suitable for fixing & lamination of automotive parts
- Ideal for outdoor decorative trims, spotlights, nameplates, and markings
- Bonds well with plastic parts & smooth surfaces
- Available with green, red, blue, or printed release liner
- Designed for reliable performance in industrial applications

SURFACE PROTECTION FILM

(Vehicle Interior)
Temporary Interior Protection for New Vehicles



- Protects interior parts from scratches and marks
- Keeps interiors clean during manufacturing, transport & showroom display
- Suitable for plastic, metal, wooden trims & carpets
- Easy to apply and remove
- Leaves no adhesive residue
- Helps deliver a brand-new interior look to customers

CAR PROTECTION FILM

(Exterior Protection)
For OEM Manufacturing, Storage & Export Logistics



- Protects exterior painted surfaces from scratches, abrasion, and handling marks
- Ideal for OEM manufacturing lines, logistics, and dealer yards
- UV-resistant film suitable for long-term outdoor exposure
- Maintains protection during extended container transit or clearance delays
- Easy application and clean removal without adhesive residue
- Preserves original paint quality and showroom appearance

SUPERIOR LUMINANCE



With **PENTACLE** Advantage

- Approved by I-CAT
- Complies both Horizontal and vertical Orientation as per AIS-090 Standard
- Next-Gen Micro Prismatic Marking Design
- Very Strong adhesion to body surface
- High reflectivity / visibility
- Excellent daytime brightness
- High UV stability
- Weather Resistant
- Ultrasonic Lamination of film layers (Water & Dustproof)

Reflective Contour Marking Guide

Contour markings should cover at least 80% of the total length and width of a vehicle or trailer and should be positioned as close as possible to the edges. Two options are available for contour markings: full contour markings, which outline the entire perimeter, or partial contour markings, which represent the minimum required standard.

Position on vehicle	Colours
Front	White 
Sides	Yellow 
Rear	Red 



PANAMAX POLYESTER TAPE

(Automotive Grade)
White Paper / Solvent & Hotmelt
Double-Sided – Customized
Solutions Available



- Strong double-sided adhesion
- Thin, neat, and flexible for clean finishes
- Works with plastic, metal, foam, & painted surfaces
- Available in solvent-based or hotmelt adhesive
- Custom sizes for OEM requirements
- Easy to apply and remove with consistent performance

PANAMAX RED POLYESTER TAPE



- Very strong adhesive tape, suitable for high tensile and long time again applications.
- Provides a strong rigid bond for the most demanding external applications.
- Most suitable for fixing of reflection foil to LCD frame, splicing of thin plastic films, flex joining.
- Mounting of decorative profile and molding in furniture industries.
- Available thickness: 110, 130, 160 & 210 Mic



- High initial and final adhesion strength
- Excellent resistance to heat, moisture, and solvents
- Superior conform ability for uneven surfaces
- Excellent stress relaxation to maintain long-term bonding
- Reduces vibration and noise
- Clean, strong, and permanent bonding solution
- Product Structure: Foam Type: Grey Acrylic Foam, Adhesive: Acrylic, Release Liner: Red PE Liner, Total Thickness: 0.4mm, 0.8mm, 1mm, 2.0 mm, 3mm





ABOUT PMX TISSUE TAPES

PMX Tissue Tapes by Panamax are high-quality double-sided adhesive solutions designed for industrial and commercial bonding. Made with premium non-woven tissue carriers and advanced acrylic or hot melt adhesives, they offer strong adhesion, good initial tack, and reliable holding power. PMX Tissue Tapes are ideal for nameplates, membrane switches, die-cutting, laminations, and general-purpose fixing across packaging, electronics, automotive, and manufacturing industries.

PMX[®] 5000 – DOUBLE-SIDED TISSUE TAPE



- Double-sided tissue tape coated with modified solvent acrylic adhesive
- Thickness: 160 Micron
- Non-woven tissue carrier with translucent appearance
- Excellent adhesion to metal and smooth surfaces
- Solvent-resistant adhesive for stable performance
- Suitable for nameplates, film switches, and general industrial bonding
- ROHS compliant product
- Delivers excellent results on any surface.

PMX[®] 500 – DOUBLE-SIDED TISSUE TAPE



- Double-sided tissue tape coated with solvent acrylic adhesive
- Excellent balance of initial tack, peel adhesion, and holding power
- Thickness: 100 Micron
- Tissue carrier with translucent appearance
- Strong adhesion on metal and general surfaces
- Suitable for industrial and commercial applications

PMX[®] 501 – DOUBLE-SIDED TISSUE TAPE



- Double-sided tissue tape with high-quality acrylic adhesive
- Designed for strong initial tack, reliable holding power and good solvent resistance.
- Thickness: 90 Micron
- Smooth and uniform adhesive coating for consistent performance
- Excellent bonding on metal, plastic, paper, and painted surfaces
- Suitable for general industrial fixing and mounting applications

PMX[®] 512 – DOUBLE-SIDED TISSUE TAPE



- Double-sided tissue tape coated with solvent acrylic adhesive
- Thickness: 140 Micron
- Translucent tape with tissue carrier
- Provides strong and reliable bonding performance
- Excellent adhesion on metal, plastic, films, and smooth surfaces
- Suitable for indoor applications with stable temperature resistance
- Ideal for fixing nameplates, film switches, labels, and light components

PMX[®] 910 – DOUBLE-SIDED TISSUE TAPE



- Double-sided tissue tape coated with acrylic pressure-sensitive adhesive
- Thickness: 110-115 Micron
- Non-woven tissue carrier with translucent tape finish
- Excellent adhesion and high holding power
- Strong bonding on wood, metal, glass, paper, painted surfaces, plastics, and textiles
- Suitable for nameplates, membrane switches, die-cutting, and general fixing applications
- Excellent adhesion on low surface energy surfaces and labels.

PMX[®] 912 – DOUBLE-SIDED TISSUE TAPE



- Double-sided tissue adhesive tape coated with special acrylic adhesive
- Total thickness: 120-125 Micron
- Non-woven tissue carrier with translucent finish
- High bonding strength on multiple substrates like PC, glass, steel, and aluminum
- Excellent initial tack with very high holding power
- Good adhesion on low surface energy (LSE) materials such as PP and PE
- Ideal for bonding metal plates, plastic plates, cartons, nameplates, and membrane switches



PMX[®] 418 – DOUBLE-SIDED TISSUE TAPE



- Double-sided tissue tape coated with hot melt pressure-sensitive adhesive
- Thickness: 80 Micron
- Tissue carrier with translucent tape finish
- High peel strength and good initial tack
- Strong holding power for reliable bonding
- Suitable for bonding a wide range of materials
- Good performance for general industrial applications

PMX[®] SOLVENT TISSUE TAPE

(70 TO 100 MICRON OR
AVAILABLE IN CUSTOMIZED SOLUTIONS)



PMX Tissue Tape (Solvent-based) is a double-sided adhesive tape made with a thin tissue paper carrier coated with strong solvent-based adhesive on both sides.

- Strong solvent-based adhesive for reliable bonding
- Thin profile for neat and clean finishing
- Good adhesion on plastic, metal, foam, and painted surfaces
- Suitable for lamination and fixing applications
- Available in standard and customized options

PMX[®] 650 TISSUE TAPE (Low VOC & Low Odour)



PMX Tissue Tape – Low VOC & Low Odour is a double-sided adhesive tape specially developed for automotive interior applications where low smell and low emissions are required.

- Low VOC – suitable for vehicle interiors
- Low odour – no strong smell inside the car
- Strong and clean bonding
- Thin tape for neat finishing
- Safe for long-term interior use
- Easy to apply during assembly

PMX[®] HOTMELT TISSUE TAPE (60 TO 100 MICRON)



PMX Tissue Foam Tape (hotmelt-based) is a double-sided tape with a tissue carrier coated with hotmelt adhesive. It is designed for automotive applications where a soft, flexible, and strong bond is needed.

- Strong hotmelt adhesive for reliable bonding
- Flexible foam layer absorbs stress and vibration
- Thin and clean for neat appearance
- Adheres to plastic, metal, foam, and painted surfaces
- Available in standard and customized options

PMX[®] 620 TISSUE TAPE (FR Tissue)



Tissue Tape – FR Tissue is a double-sided adhesive tape with flame-retardant properties, designed for automotive applications where fire safety is important.

- Flame-retardant properties
- Helps improve vehicle safety
- Strong and reliable bonding
- Thin tape for clean finishing
- Suitable for interior and electrical applications
- Easy to apply in assembly lines

PMX[®] 610 TISSUE TAPE (Low Odour)



Tissue Tape – FR Tissue is a double-sided adhesive tape with flame-retardant properties, designed for automotive applications where fire safety is important.

- Low odour during and after application
- Strong and reliable bonding
- Thin tape for clean appearance
- Suitable for interior and general automotive use
- Easy handling and application

PANAMAX[®]

WE MAKE THINGS STICK

FOAM
*Tapes**We make things stick*

ABOUT PANAMAX D/S FOAM TAPES

PANAMAX Double-Sided Foam Tapes are high-strength bonding solutions developed for demanding industrial and automotive applications. Manufactured with premium foam backings and advanced adhesive systems, provide excellent adhesion, cushioning, vibration damping, and gap-filling performance. PANAMAX D/S Foam Tapes are widely used for fixing trims, nameplates, emblems, panels, lighting parts, plastic components, and decorative elements in automotive, electrical, construction, and general manufacturing industries, ensuring durable and long-lasting bonding.

PANAMAX NITRILE FOAM TAPE



- Closed-cell nitrile rubber foam structure
- Excellent thermal insulation for hot and cold applications
- Prevents condensation & moisture buildup
- Strong acrylic adhesive for reliable bonding
- Flexible and easy to apply on curved surfaces
- Resistant to moisture, humidity, and grease
- Long service life with durable performance
- Product Structure: Adhesive Type: Acrylic (Solvent-based), Thickness: 5 mm, Color: Black

PANAMAX PE FOAM TAPE (RED/BLUE)



- IXPE foam backing with high-density structure
- Strong solvent rubber adhesive on both sides
- Excellent peel strength and holding power
- Good shock absorption and vibration damping
- Suitable for indoor and outdoor applications
- Easy to apply with blue release liner
- Product Structure: Foam Color: Black / White, Adhesive Type: Solvent Rubber, Release Liner: Blue, Total Thickness: 1.0 mm

PANAMAX EVA FOAM TAPE (RED/GREEN)



- EVA foam backing with hot-melt adhesive
- Strong adhesion with high shear strength
- Excellent shock absorption & impact resistance
- Durable and flexible foam structure
- Suitable for indoor & outdoor applications
- Good aging properties for long-term use
- Foam Color: Black, Adhesive Type: Hot-melt, Total Thickness: 1.0 mm

PANAMAX MIRROR MOUNTING TAPE



- Precise for indoor use only.
- Humidity-resistant adhesive provides a powerful hold in humid environments.
- Delivers a strong, permanent bond on contact.
- Hold mirror to base without screws.
- Easy to apply saves time and labour.
- No more nails, glues, screws, rivets.
- No drilling, no screwing.

PANAMAX NANO-SIL GRIP TAPE



- Super double side adhesive tape.
- Made of nano silica gel material.
- Hassle free usage.
- Leaves no residue.
- Re-washable and re-usable.
- Multi purpose products.
- No drilling no screwing.

PANAMAX MULTI STICK TAPE



- Marble to glass.
- Wood to mirror.
- Wood to marble.
- Metal to glass.
- Glass to steel.
- Steel to wood.

PANAMAX[®]
WE MAKE THINGS STICK*We make things stick*MANUFACTURER OF
HIGH-PERFORMANCE
INDUSTRIAL ADHESIVE TAPES | SINCE 1996

PMX[®] WIRE HARNESS *Tapes*

ABOUT PMX WIRE HARNESS TAPES

Wire harness is an essential part of every vehicle. It carries electrical power and signals to systems like lighting, dashboard, engine, sensors, and safety components. Wire harness tapes are used to wrap and protect wires, keeping them safe from heat, abrasion, vibration, and wear. These tapes help improve electrical safety, reduce noise, and keep wiring neat and secure. PMX Wire Harness Tapes are designed for automotive use, offering reliable protection, easy application, and long-lasting performance for modern vehicles.

PMX[®] PET CLOTH TAPE



- PET cloth tape coated with flame-retardant acrylic adhesive
- Available color: Black / Orange
- Easy hand-tearable with controlled tear resistance
- Designed thickness ensures flexibility and secure bonding
- Strong peel adhesion with excellent holding strength
- Ideal for wire harness wrapping, electrical insulation, and component fixing
- Suitable for automotive, electrical, and electronic applications

PMX[®] ACETATE CLOTH TAPE



- Acetate cloth tape coated with flame-retardant acrylic adhesive
- Available colors: Black and White
- Acetate cloth carrier with smooth surface finish
- Strong peel adhesion with excellent holding strength
- Ideal for wire harness wrapping, electrical insulation, & component fixing
- Suitable for automotive, electrical, and electronic applications

PMX[®] FLEECE CLOTH TAPE



- Fleece cloth tape made with non-woven PET and acrylic pressure-sensitive adhesive
- Thickness: 0.28mm
- Black color with soft fleece surface
- Excellent noise damping performance, specially designed for cabin & wiring harness applications
- Good stretch performance for smooth wrapping on irregular surfaces
- Ideal for automotive wiring harnesses, cable bundling, and noise reduction applications
- **Available in multiple widths; custom sizes available on request**

PMX[®] 1110/1220 – PVC WIRE HARNESS TAPE



- High-quality PVC wire harness tape coated with rubber pressure-sensitive adhesive
- Designed for manual and machine winding applications
- Total thickness: 0.10mm
- Temperature range 85°C to 105°C
- Strong adhesion to steel and backing surfaces
- Flame-resistant and self-extinguishing performance
- High uniformity ensures neat and consistent wrapping
- Complies with RoHS 2.0 and REACH standards, FR, DINP and DEHP.
- Ideal for wire harness wrapping and protection in automotive and electrical systems

PANAMAX ELECTRICAL INSULATION TAPE



- Reliable self-extinguishing electrical insulation tape.
- Insulation & protection to wire of electrical appliances & machines.
- Stretchable, grips firmly & mould itself to any surface.

PMX[®] GLASS FIBRE CLOTH TAPE (H GLASS/ TRANSFORMER WINDING)



- Strong double-sided adhesion
- Thin, neat, and flexible for clean finishes
- Works with plastic, metal, foam, and painted surfaces
- Available in solvent-based or hotmelt adhesive
- Custom sizes for OEM requirements
- Easy to apply and remove with consistent performance

PMX[®] SS POLYESTER TAPE (RED, YELLOW, GREY, ALL COLOR AVAILABLE)



- Strong polyester backing for durability
- Good temperature resistance
- Suitable for electrical insulation
- Available in multiple colors for identification
- Easy to apply and remove
- Reliable performance in automotive environments

A PRODUCT OF

PANAMAX[®]
WE MAKE THINGS STICK



MANUFACTURER OF
HIGH-PERFORMANCE
INDUSTRIAL ADHESIVE TAPES

SINCE
1996

INDUSTRY Tapes

ABOUT INDUSTRY TAPES

Industry tapes are used in many manufacturing and industrial processes for masking, insulation, holding, sealing, bundling, marking, and protection. These tapes help improve work efficiency, safety, and surface protection during production, maintenance, and packaging. PANAMAX / PMX Industry Tapes are designed to deliver strong adhesion, durability, and easy handling across different applications. They are suitable for use in manufacturing plants, warehouses, construction sites, and industrial workshops, offering reliable performance on various surfaces and working conditions.

PANAMAX GREEN PET TAPE



- PET film backing with silicone-based adhesive
- Available thickness options: 60 Mic / 80 Mic
- Strong peel adhesion to steel surfaces
- High tensile strength with good elongation
- Excellent electrical insulation with high breakdown voltage
- Clean removal after masking with out residue
- Suitable for precision & heavy-duty masking applications
- Available with dotted release liner or fluoro plastic liner

PANAMAX POLYIMIDE TAPE



- Polyimide film backing with silicone adhesive
- Strong electrical insulation with high dielectric strength
- Flame-retardant and chemical resistant
- Leaves no adhesive residue after removal
- Maintains dimensional stability under heat and stress
- Smooth surface for clean and precise masking
- Thickness: 1 Mil, 2 Mil, 3 Mil

PANAMAX BLUE HOLDING TAPE



- PET film backing ensures strength and dimensional stability
- Silicon adhesive offers consistent holding with residue-free removal
- Good peel strength and tensile performance
- Heat resistance up to 100°C
- Smooth unwinding and easy handling
- Distinct blue color for easy identification during removal
- Thickness: 60 micron

PANAMAX FREEZER TAPE



- High-quality solvent rubber adhesive with strong adhesion
- Excellent holding power for permanent sealing
- Flexible and durable PE film backing
- Smooth unwinding and easy application
- Performs well in indoor and outdoor environments
- Clean and reliable bonding on various surfaces

PMX® 6298 – STRAPPING TAPE



- MOPP film backing with high-adhesion rubber adhesive
- Enhanced holding strength for secure strapping & fixing
- Easy to apply and peel without adhesive transfer
- Residue-free removal with no surface staining
- No color change during or after application
- Tape color: White
- Suitable for repeated handling & clean removal needs

PMX® 915 – MONO FILAMENT TAPE



- High-strength mono filament tape reinforced with a single fiberglass filament
- Designed for heavy-duty bundling, strapping, and reinforcement applications
- Non-tearable construction for secure and reliable holding
- Strong adhesion on cartons, pallets, pipes, and industrial surfaces
- Suitable for pallet securing, carton reinforcement, and industrial packaging
- Ideal for logistics, warehousing, construction, and manufacturing industries
- Strong holding power with easy removal and residue-free finish.

PANAMAX FLOOR MARKING TAPE



- Available in various vibrant colors.
- Variety of widths & lengths available.
- Higher reflectivity and glow in dark.
- Much faster and easier to install & replace compared to paint.

PANAMAX®

WE MAKE THINGS STICK


CONSTRUCTION Tapes

We make things stick

ABOUT PANAMAX CONSTRUCTION TAPES

Panamax Construction Tapes are specially designed for strong bonding, sealing, and surface protection in construction and renovation projects. These tapes deliver high adhesion, excellent durability, and long-lasting performance on surfaces such as concrete, metal, wood, glass, and plastic. Widely used for mounting, fixing, insulation, masking, and protection, Panamax Construction Tapes help simplify installation, reduce tool dependency, and ensure clean, reliable, and professional results on site.

PANAMAX LEAK STOPPER



- Waterproofing Tape is a super strong, rubberized tape.
- It creates a flexible, rubberized waterproofing barrier that instantly seals out air, water and moisture.
- Use waterproofing Tape to patch, bond, seal or repair virtually everything.
- It is extra thick and super sticky adhesive creates an extra strong bond.
- It is extra wide to quickly cover large cracks, gaps, leaks and holes.

PANAMAX ANTI-SLIP TAPE



- Excellent bonding with high adhesive for secure grip.
- Highly suitable for public gathering places like offices, factories.
- Warehouse, cinema halls, shopping centers, malls etc.
- Non abrasive aqua safe slip.
- Water resistant.

PANAMAX ROOF REPAIRING TAPE



- The ultimate leak and seam repair tape
- The heaviest most aggressive sealing tape available
- Permanently deal with leaks in virtually all roofing materials
- Self adhesive easy and quick installation
- Weather resistant roofing tape

PANAMAX SHUTTERING TAPE



- Very strong and high adhesive product
- Specially designed for shuttering purpose before slab cast
- Can fill joints and empty spaces between two ply
- Prevents leakage from shuttering joints
- Available in various colors and sizes

PANAMAX DRYWALL TAPE



- Fibre glass mesh for strong joints
- Eliminates plaster & bubbles
- Eliminates pre plastering
- Quick & Easy

PANAMAX EDGE BANDING FIXING TAPE




- No white glue/gum required
- Saves time
- Very fast & easy to use
- Bonds firmly together
- Water & temperature resistant
- For edge banding of wood, laminate, veneer, acrylic, PVC, etc.

PANAMAX WOOD GUARD TAPE



- Wooden door.
- Glass.
- Furniture.
- Door and window.
- Aluminum and metal
- Flooring.

PANAMAX FLOOR PROTECTION TAPE



- Marble Flooring.
- Wooden Flooring.
- Carpet Flooring.
- PROTECT YOUR FLOOR FROM SCRATCHES AND PAINT STAINS

ACCESSORIES

ELECTRONIC HEAT GUN

- Rapid Heating: Heats up quickly for instant use
- Dual Heating Elements: Ensures stable and powerful performance
- Vortex Airflow Design: Concentrated wind output for precise heat targeting



PANAMAX®
WE MAKE THINGS STICK

We make things stick

MANUFACTURER OF
HIGH-PERFORMANCE
INDUSTRIAL ADHESIVE TAPES

SINCE
1996

PANAMAX[®]

WE MAKE THINGS STICK

MASKING
*Tapes**We make things stick*

ABOUT PANAMAX MASKING TAPES

Panamax Masking Tapes are designed to give clean lines, strong adhesion, and easy removal during painting and surface protection work. Our range includes high temperature masking tapes, fine line masking tapes, and masker rollers for fast and accurate coverage.

PANAMAX MASKING TAPE (90, 110, 130) (HIGH TEMPERATURE)



Panamax High Temperature Masking Tape is a premium automotive-grade masking tape made with crepe paper backing and natural rubber adhesive. It is specially designed for masking applications that require clean removal and reliable performance at elevated temperatures.

- High-quality automotive masking tape
- Suitable for masking all types of surfaces
- Strong adhesion to metal, glass, plastic & rubber
- Solvent resistant for industrial environments
- Easy to tear and apply

PANAMAX MASKING FINE LINE TAPE (GREEN, BLUE, MEHNDI, WHITE)



- Produces sharp, clean, and precise paint lines
- Excellent adhesion to a wide variety of surfaces
- Highly flexible – follows curves, contours, and complex shapes
- Strong holding power without lifting during painting
- Removes cleanly without leaving adhesive residue
- Ideal for professional automotive & industrial finishing

PANAMAX ROLLER MASKER



- Easy and quick surface covering in one step
- Strong masking tape ensures secure adhesion
- Plastic film protects surfaces from paint drips & splashes
- Clean removal without residue after use
- Saves time and reduces labor effort
- Suitable for straight edges and corner masking
- Lightweight and easy to handle
- Available Size: 20 Meter × 550mm, 1100mm, 1800mm, 2100mm, 2400mm, 2700mm

PANAMAX MASKING TAPE 3525



- A must-have product for carpenters, painters, and fabricators.
- Ideal for paint masking, door painting, laminate pasting, and house decoration.
- Suitable for use at construction sites.
- Perfect for car body repairing and painting work.

PANAMAX[®]
WE MAKE THINGS STICK*We make things stick*MANUFACTURER OF
HIGH-PERFORMANCE
INDUSTRIAL ADHESIVE TAPESSINCE
1996

PANAMAX[®]

WE MAKE THINGS STICK

**BOPP
PACKAGING***Tapes*100% GUARANTEE
THICKNESS & LENGTH*We make things stick*

COMPLETE SOLUTIONS FOR YOUR PACKAGING REQUIREMENTS

Panamax offers complete and reliable packaging solutions designed to meet the needs of multiple industries. Our wide range of tapes includes BOPP Tape, Super Ultra Clear Tape, Advertisement Tape, Printed Logo Tape, Paper Tape, Printed Paper Tape, Reinforced Paper Tape, Cross Filament Tape, and Mono Cross Filament Tape. Each product is manufactured using high-quality materials to ensure strong adhesion, durability, and secure sealing. Panamax packaging solutions help improve efficiency, enhance brand visibility, and protect goods during storage and transportation, making us a trusted partner for all packaging requirements.

PANAMAX BOPP TAPE (Transparent/Brown)



- BOPP Tape is coated with high-quality water-based adhesive, ensuring strong adhesion for secure packaging applications.
- Ideal for lightweight packaging needs.
- Available colors: Brown and Transparent.
- Guaranteed film thickness: 42, 45, and 55 microns.
- Machine roll lengths of 200 and 650 meters also available.
- Enhance your brand with custom printing on tape.
- Excellent delivery timelines.

PANAMAX BOPP TAPE (Ultra Clear)



- Super Clear BOPP Tape is coated with a special quality adhesive, offering a highly transparent, see-through finish.
- Available color: Super Clear.
- Reliable and timely delivery.
- Guaranteed film thickness: 42 and 45 microns.
- Excellent tear strength with long-lasting adhesion.

PANAMAX PRINTED TAPES



MULTI-LAYER CONSTRUCTION WITH PEARL FILM BACKING FOR A STRONG PRESENCE AND ENHANCED SHINE

Panamax BOPP Printed/Advertisement Tapes is specially developed for advertising and branding purposes. It features high-quality reverse printing with a glossy coating that retains color vibrancy, offers bright visibility, resists fading over time, and provides strong adhesion on various surfaces.

- Specially developed for advertising and brand promotion
- High-quality reverse printing for clear and professional branding
- Special glossy coating for bright and attractive appearance
- Retains color vibrancy with no fading over time
- Bright and distinct visibility for strong brand impact
- Improved adhesion for reliable performance on various surfaces

PANAMAX ADVERTISEMENT TAPES



PANAMAX CROSS FILAMENT TAPE



- Tape with PET film backing and cross-woven fiberglass filament, coated with hot melt adhesive for extremely strong adhesion – ideal for heavy packaging and bundling applications.
- Best suited for heavy-duty packaging.
- Thickness: 150, 180 microns.
- Cost-effective alternative to metal and polypropylene strapping.

PANAMAX MONO FILAMENT TAPE

High Tensile Strength: Reinforced with a single fiberglass filament for strong and reliable holding power

Heavy-Duty Performance: Ideal for bundling and packing heavy items like pipes, steel coils, and tires

Non-Tearable Design: Resists tearing, ensuring secure and long-lasting sealing

Strong Carton Reinforcement: Helps close and strengthen shipping cartons during transit

Flexible & Durable: Offers excellent flexibility while maintaining high strength.

Low Stretch with Less Residue.

**PANAMAX**[®]
WE MAKE THINGS STICK*We make things stick*MANUFACTURER OF
HIGH-PERFORMANCE
INDUSTRIAL ADHESIVE TAPESSINCE
1996

PANAMAX KRAFT PAPER TAPE

- Kraft paper-based packaging tape for strong and secure sealing.
- Suitable for heavy carton packaging.
- Eco-friendly alternative to plastic-based tapes.
- Thickness options: 100 / 120 / 140 microns.
- Machine rolls also available.
- Branding/Printing possible in up to 3 colors.
- Adhesive type: Environment Friendly
- Color: Brown.
- Ideal for sustainable and heavy-duty packaging needs.



PANAMAX WATER ACTIVATED PAPER TAPE (Reinforced)



- Panamax reinforced, water-activated Kraft paper tape for highly secure packaging applications.
- Eco-friendly Kraft paper base material.
- Reinforced with threads for added strength.
- Printing option available for brand enhancement.
- Provides very strong and secure adhesion to carton boxes.

PANAMAX CREPE PAPER TAPE



- Crepe paper-based packaging tape Secured and strong packaging
- Anti-slippery paper surface for better grip
- Eco-friendly solution
- Thickness: 125 microns
- Possible Branding/Printing: Up to 3 colors
- Adhesive: Rubber-basedColor: Brown

ABOUT PANAMAX

*Bonding Innovation, Strength, and Reliability,
'Panamax' - a trusted partner in Adhesive Tape Solutions.*

Established in 1996, Panamax Limited has emerged as a trusted leader in adhesive tapes solution. Specialised in manufacturing customized products, the company serves diverse industries, including Automotive, Electronics, Construction, and Renewable Energy. Renowned globally, Panamax is recognized for its unwavering commitment to innovation, quality, and precision.

With certifications such as ISO 9001:2015, ISI, and RoHS, Panamax's products adhere to the highest quality standards, delivering exceptional performance. The company prioritizes customer success by ensuring timely delivery, unmatched quality, and strong partnerships, exemplifying its mission to foster mutual growth and excellence.

Industry Certifications:



PANAMAX LIMITED

Panamax House 594-595/154
Bawana Phirni Road, Pooth Khurd | Delhi -110039 | India

OUR BRANDS



TF: 1800 999 2049
E: info@panamax.co.in
<https://panamax.co.in>



MANUFACTURER OF
HIGH-PERFORMANCE
INDUSTRIAL ADHESIVE TAPES | SINCE 1996